


BioLoop & ColourPlay
BOHO
SDN Carpet Narrow Plank











COLOURPLAY

What is ColourPlay?

ColourPlay's precision tufting technology ensures high definition and clarity in lines, textures and shapes. The colourPoint tufting machine can produce a sophisticated

Axminster-type product but with the agility and efficiency of a tufting machine. And since there is no buried yarn on the face, you get full gauge coverage. This means better performing construction with vivid colours, pinpoint accuracy, unmatched detail, and enhanced product durability.





BOHO Colour Bank



CP-771



CP-774



CP-772



CP-763



CP-756



CP-723

BOHO

SDN Carpet Narrow Plank



COLOURPLAY


Specifications

Description	BOHO Carpet Plank
Product Face	100% LOOP
Fiber Composition	bioloop™ SDN
Dye Method	Extrusion
Face Weight	750 g/m ² / 22 oz/yd ²
Product Density	177300/m ² / 3 & 4 Colors
Equipment Gauge	1/10"
Primary Backing	Non-Woven
Secondary Backing	StableShield-100% Vinyl
Optional Backing	Recova Plus 500 & 800 (80-85% Recycled PET Bottles)
Tile Size	25 cm x 100 cm (9.8 in x 39.2 in)
Face Height	3.5 mm
Total Product Height	7.0 mm
Product Treatment	UV Treated Yarn & Walk Of Fame
Recommended Installation	Ashlar, Quarter Turn or Herringbone

Performance

VOC Emission	ASTM D5116-17	<0.5 mg/m ² /hour (CRI GLP)
Flammability	ASTM D-2859//FF 1-70//16CFR 1630	Pass 8/8
Critical Radiant Flux	ASTM E648-08	Class I
Static Propensity	AATCC 134-2011	0.2 kV
Color Fastness	AATCC/16	5/5 on Grey Scale
Thermal Resistance	DIN 52612	.04m ² K/W
Impact Sound Insulation	ISO 140-8	ΔLw 23dB
Sound Absorption Level	EN ISO 354	αω: 0.15(H)
Soiling Propensity	ASTM D 6540-00	4
Dimensional Stability	EN 986	< 0.20%
Castor Chair Test	ISO 4918	Rating 4.0

The above Information is subject to modification for the benefit of further improvement. Manufacturing tolerance: ±5%



Al Sourayia

Flooring and Furniture

